Foundation Unit 5b topic test

Date:

Time: 45 minutes

Total marks available: 43

Total marks achieved: _____

Questions

Q1.

Here is a sequence of patterns made with counters.



(a) In the space below, draw pattern number 4

(1)

(b) Complete the table.

Pattern number	1	2	3	4	5
Number of counters	5	9	13		

(1)

(c) Find an expression, in terms of *n*, for the number of counters in pattern number *n*.

(2)

Habeeb has 50 counters.

He wants to use as many of his counters as possible to make a pattern in the sequence.

(d) What is the number of the pattern he can make using the greatest number of his counters?

.....

(2)

(Total for Question is 6 marks)

Q2.

Here are some patterns made from triangles.



(a) Complete the table.

Pattern number	1	2	3	4	5
Number of triangles	2	4	6		

(1)

(b) How many triangles are needed for Pattern number 12?

 Here are the first three patterns in a sequence. The patterns are made from triangles and rectangles.





pattern number 1





pattern number 3

(a) How many triangles are there in pattern number 7?

(2)
Charlie says
"There are 4 rectangles in pattern number 3 so there will be 8 rectangles in pattern number 6"
(b) Is Charlie right?
Give a reason for your answer.
(1)
(Total for question = 3 marks)

Pearson Edexcel Level 1/Level 2 GCSE (9 – 1) in Mathematics Foundation Unit 5b topic test C Pearson Education 2015

Q3.

Here are the firs	st four terms of a numbe	r sequence.		
	6	10	14	18
(a) Write down t	he next term in this seq	uence.		
(b) Find the 10th	n term in this sequence.			(1)
				(1)
(c) The number	101 is not a term in this	s sequence.		
Explain wh	у.			
				(1)
(d) Write an ex	pression, in terms of <i>n</i> ,	for the <i>n</i> th term of this s	sequence.	
				(2)

(Total for Question is 5 marks)

Q4.

Q5.

Here are the first four terms of a number sequence.

- 3 7 11 15
- (a) Write down the next term of this sequence.

	(1)
The 50th term of this number sequence is 199	
(b) Write down the 51st term of this sequence.	
	(1)

The number 372 is **not** a term of this sequence. (c) Explain why.

> > (1)

(Total for Question is 3 marks)

Q6.

Here are the first for	our terms of a number se	quence.			
4	7	10	13		
(a) (i) What is the	e next term in the seque	nce?			
 (ii) Explain ho	w you found your answe	r.			
					(2)
(b) What is the 8	8th term in the sequence	?			
					(1)
Alexi says 34 is in	the sequence.				
(c) Is Alexi corre	ct?				
You must give	e a reason for your answ	er.			
					(1)
			(Total for	Question is 4	marks)
Q7.					
Here are the first fir	ve terms of an arithmetic	sequence.			
2	7	12	17	22	
(a) (i) Find the i	next term of this sequend	ce.			
 (ii) Explain how yo	ou found your answer.				
(b) Write down a	an expression. in terms o	f <i>n</i> . for the <i>n</i> th term	of the sequence.		(2)
(-)		,			
					(2)

(Total for Question is 4 marks)

Q8.

Here are the first four terms of an arithmetic sequence.

- 6 10 14 18
- (a) Write an expression, in terms of *n*, for the *n*th term of this sequence.

.....

(2)

The *n*th term of a different arithmetic sequence is 3n + 5

(b) Is 108 a term of this sequence? Show how you get your answer.

(2)

(Total for question = 4 marks)

Q9.

Here a	re the first six tern	ns of a Fibor	nacci sequ	uence.					
		1	1	2	3	5	8		
The rul	le to continue a Fi	bonacci seq	uence is,						
	the n	ext term in th	ne sequer	nce is the	sum of	the two	previous terms.		
(a) Fir	nd the 9th term of	this sequend	ce.						
									(1)
The fire	st three terms of a	different Fib	onacci se	equence	are				
			а	b	a +	b			
(b) Sh	now that the 6th te	rm of this se	quence is	s 3a + 5b					
									(2)
Given	that the 3rd term is	s / and the t	oth term is	s 29,					
(C) TIN	d the value of a ar	nd the value	OT D.						
						a =			
						b =			
						<i>b</i>			(3)
							(Total for qu	uestion = 6 m	narks)

Q10.

(a) Write down the 20th odd number.

(1)

(2)

The sum of two consecutive odd numbers is 48

(b) Find the smaller of these two odd numbers.

Here are the first five terms of an arithmetic sequence.

5 8 11 14 17

(c) Is 42 a term of this sequence?Show how you get your answer.

(2)

(Total for question = 5 marks)

Examiner's Report

Q1.

In part (a) most students were able to replicate the pattern. Incorrect responses generally showed the first pattern repeated 5 times, resulting in the additional dot being repeated an extra 4 times. Part (b) was also very successfully answered with most students gaining the mark.

In part (c) the most common incorrect responses did involve some use of the term to term difference of + 4 but frequently this was seen as n + 4. The students who had presented the correct *n*th term expression in part (c) generally went on to use it correctly to answer part (d). Other correct answers often came from a clear continuation of the sequence or a diagram showing pattern number 12. Many students used multiples of values in the table incorrectly, typically deducing that pattern 10 would have 42 dots as pattern 5 had 21.

Q2.

This was very well answered with the majority gaining the full 3 marks. There were very few errors in parts (a) and (b); if marks were lost, it was usually for a poor explanation offered in part (c). 'It goes up in 2s' or '82 is not in the 2 times table' were not uncommon incorrect explanations. Quite a number of responses demonstrated logic that would have been incorrect if the sequence had been 2n + anything other than zero.

Q3. No Examiner's Report available for this question

Q4.

Parts (a) and (b) were very well answered with the vast majority of candidates able to identify the next and 10th term in the linear sequence. The most common misconception in part (b) was to double the 5th term 22 from part (a) to give 44 rather than 42. Three quarters of the candidates were able to gain at least one mark for parts (c) and (d) and usually did so with a correct explanation in part (c) Answers referring to 101 being odd and/or the terms in the sequence being even were most common with some excellent answers with statements well justified using numerical examples. A common error was to assume that the sequence was multiples of 4 as it had a term-to-term difference of 4.

In part (d) many candidates correctly identified the need for 4n in the term, but few were able to complete it successfully. Others reversed the 2 and 4 in the rule to give 2n+4 and many gave the term-to-term rule of n+4 instead.

Q5.

Part (a) was answered usually correct.

Part (b) was well answered, very few blank or incorrect responses were seen.

In Part (c), whilst only a minimal reason was required, many lacked clarity. Common incorrect responses seen were "it goes up in 4s" "not in the four times table" "it's not in the pattern". Correct answers usually referred to the sequence consisting of odd numbers or the fact that 372 was even, or both points and some candidates correctly used the nth term. However, a few candidates did confuse the terms odd and even.

Q6.

98% of candidates scored at least 1 mark on part (a) with nearly 90% scoring both available with an explanation of how the next term could be found. In order to score the second mark it was important for candidates to not only mention the term to term difference of 3 but also note that the sequence was increasing and so 3 needed to be added. Some candidates gave the correct nth term rule 3n + 1 instead.

75% of candidates gave the correct 8^{th} term of the sequence in part (b). The most common errors involved giving the 9^{th} term 28 or 24 from 8 × 3. 50% of candidates gave a correct explanation in part (c) with incorrect answers referring only to multiples of 3 or the alternating odd and even terms of the sequence.

Q7.

Part (a)(i) of this question was well answered with very few incorrect responses seen. Some candidates wrote additional terms in the sequence 27, 32, etc but provided they were correct this did not stop them achieving B1, of course a few did offer additional incorrect answers and achieved B0.

Part (a)(ii) was well attempted by candidates with candidates correctly offering +5, add 5, increases by 5, however, many candidates offered ambiguous answers such as stating the difference without indicating whether it should be added or subtracted, hence B0. Likewise others referred to a gap of 5. Some of the more able candidates quoted 5n-3 which was awarded B1. A common incorrect response was to comment on the units digit alternating between 2 and 7

Part (b) of this question was also well attempted by candidates but frequently the weaker candidates worked out further terms or wrote n + 5 and gained no marks. Some correctly wrote 5n realising a link to the five times table but only achieved B1. Common incorrect responses included 2n and 3n.

Q8. No Examiner's Report available for this question

Q9.

No Examiner's Report available for this question

Q10.

No Examiner's Report available for this question

Mark Scheme

Q1.

PAPER: 11	PAPER: 1MA0_2F						
Question	Working	Answer	Mark	Notes			
(a)		•••••	1	B1 cao			
(b)		17, 21	1	B1 for 17, 21 cao			
(c)		4 <i>n</i> + 1	2	B2 for $4n + 1$ oe (B1 for $4n + k$, $k \neq 1$, or k is absent or $n = 4n + 1$)			
(d)		12	2	M1 for $(50-1) \div 4$ or evidence of using their formula from part (c) if in the form $an+b$ or repeated addition of 4 (at least 3) ft table in part (b) or 49 seen A1 cao			

Q2.

<u> </u>					
		Working	Answer	Mark	Notes
	(a)		8, 10	1	B1 cao
	(b)		24	1	B1 cao
	(c)		reason	1	B1 for a valid reason that demonstrates the understanding that the number of triangles is twice the pattern number

Q3.

Paper 1MA1	l: 1F		
Question	Working	Answer	Notes
(a)		18	 M1 Evidence of interpretation of pattern, eg. further diagrams drawn or numerical sequence for numbers of triangles 6, 8, 10 etc A1
(b)		No with reason	C1 No with reason eg. No , pattern number 6 will have 7 squares; always one more square than pattern number

Que	Question Working Answer		Mark	Notes	
	(a)		22	1	B1 cao
	(b)		42	1	B1 cao
	(C)		Reason given	1	B1 for correct reason – accept as sufficient: 101 is odd Terms of the sequence are even or end in 0, 2, 4, 6, 8 Shows terms 98 and 102 or either 98 or 102 alone with evidence of term to term difference of 4
	(d)		4n + 2	2	
					B2 for $4n + 2$ oe (B1 for a linear expression in $4n$ e.g. $4n + a$ ($a \neq 2$) or $n = 4n+2$) (B0 for $n = 4n$ or $n + 4$)

Q5.

PAPE	PAPER: 1MA0_1F						
Que	estion	Working	Answer	Mark	Notes		
	(a)		19	1	B1 cao		
	(b)		203	1	B1cao		
	(c)		Explanation	1	B1 for any correct reason, e.g. terms are all odd but 372 is even or use of <i>n</i> th term $4n - 1$ or not 1 less than a multiple of 4		

Q6.

Question	Working	Answer	Mark	Notes
(a)(i)		16	1	B1 cao
(ii)		Reason	1	B1 add 3 or 3 ×5+1or 3n+1
(b)		25	1	B1 cao
(C)		Yes with reason	1	B1 for "Yes" and "keep adding 3" oe 3×11+1 or 11 th term or multiple of 3 plus 1

Pearson Edexcel Level 1/Level 2 GCSE (9 – 1) in Mathematics Foundation Unit 5b topic test © Pearson Education 2015

Question		Working	Answer	Mark	Notes
	(a)(i)		27	2	B1 cao
	(ii)		Add 5		B1 for 'add 5' oe
	(b)		5n – 3	2	B2 for $5n - 3$ (oe, including unsimplified) (B1 for $5n + k$, $k \neq -3$ or k is absent, or $n = 5n - 3$)

Q8.

Paper 1MA1: 2F				
Question Working		Answer	Notes	
(a)		4 <i>n</i> +2	M1 start to deduce nth term from information given eg. $4n + k$ where $k \neq 2$	
			A1 cao	
(b)		No (supported)	 M1 start to method that could lead to a deduction eg. uses inverse operations C1 for a convincing argument eg. 34 is 107 so NO; (108 – 5) ÷ 3 is not an integer 	

Q9.

Paper 1M	A1: 3F			
Question	Working	Answer		Notes
(a)	8, 13, 21,	34	B 1	cao
(b)	a,b,a+b,a+2b,2a+3b	Shown	M1	Method to show by adding pairs of successive terms $a+2b$ $2a+3b$ shown
(c)	3a + 5b = 29 a + b = 7 3a + 3b = 21 b = 4, a = 3	a = 3 b = 4	P1 P1 A1	Process to set up two equations Process to solve equations

Question	Working	Answer	Mark	AO	Notes
(a)		39	В	1.3a	B1 cao
(b)		23	P	3.1a	P1 for a correct process to start to
					solve the problem, e.g. $48 \div 2$ or
					23 + 25
			Α	1.3a	A1
(c)		No with	P	2.2	P1 for a start to the process, e.g.
		justification			sight of $3n + 2$ or a correct
					continuation of sequence with an
					extra 3 terms
			C	2.4a	
					C1 for 'No' with full justification,
					$a = \frac{1}{2} if 3n + 2 = 42$ then $n = \frac{40}{2}$
					e.g. If $5n + 2 = 42$ then $n = \frac{1}{3}$
					which is not an integer value or
					complete sequence up to 41, 44
					with statement that 42 is not in the
					sequence

Q10.