

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
-----------------	----------------	---------------	-------------	--------------

1MA1 Practice Tests: Set 1 Regular (3H) mark scheme – Version 1.0

This publication may only be reproduced in accordance with Pearson Education Limited copyright policy.
©2016 Pearson Education Limited.

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
1.	<p>Angle $BAC = 76^\circ$</p> <p>Angle $BAP =$ $180^\circ - 90^\circ - 54^\circ = 36^\circ$</p> <p>$x = 76^\circ - 36^\circ$</p> <p>OR</p> <p>Angle $QCD = 54^\circ$</p> <p>Angle $ACP =$ $180^\circ - 76^\circ - 54^\circ = 50^\circ$</p> <p>$x = 180^\circ - 90^\circ - 50^\circ$</p>	40°	4	<p>B1 for Angle $BAC = 76^\circ$ (could be just on the diagram)</p> <p>M1 for $76^\circ - ("180^\circ - 90 - 54")$</p> <p>A1 for $x = 40^\circ$ (explicitly stated)</p> <p>C1 (dep on M1) for ‘the sum of the <u>angles</u> of a <u>triangle</u> is <u>180°</u>’ and ‘<u>alternate angles</u> on parallel lines are equal’</p> <p>OR</p> <p>B1 for Angle $QCD = 54^\circ$ (could be just on the diagram)</p> <p>M1 for $180^\circ - 90^\circ - ("180^\circ - 76^\circ - 54")$</p> <p>A1 for $x = 40^\circ$ (explicitly stated)</p> <p>C1 (dep on M1) for ‘<u>corresponding angles</u> on parallel lines are equal’ and ‘sum of the <u>angles</u> on a <u>straight line</u> is <u>180°</u>’ and ‘the sum of the <u>angles</u> of a <u>triangle</u> is <u>180°</u>’</p> <p>or ‘<u>corresponding angles</u> on parallel lines are equal’ and ‘<u>exterior angle</u> of a triangle is equal to the sum of the two <u>interior opposite angles</u>’</p> <p>OR</p> <p>M1 for angle $QCB = 180 - 54 (=126)$</p> <p>M1 for $180 - 90 - "126 - 76"$</p> <p>A1 for $x = 40^\circ$ (explicitly stated)</p> <p>C1 (dep on M1) for ‘sum of <u>allied angles</u> = <u>180°</u>’ and ‘the sum of the <u>angles</u> of a <u>triangle</u> is <u>180</u>’</p>

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0				
Question	Working	Answer	Mark	Notes
2.	25 50 75 100 125 150 175 35 70 105 140 175	10.96	5	<p>M1 for attempt to find the LCM of 25 and 35, e.g. at least 3 correct multiples of 25 and at least 3 correct multiples of 35 or 2 factor trees with at least one correct</p> <p>A1 for 175</p> <p>M1 for at least one of $\frac{175}{25}$ or “5” or $\frac{175}{35}$ or “7” or 5.50 or 5.46 either unassociated or associated with the correct pack.</p> <p>M1 for “5” \times £1.10 + “7” \times 78p</p> <p>A1 cao</p> <p>OR</p> <p>M2 for attempt to find the number of packs of cups and plates, e.g. sight of 5 (\times 35) or 7 (\times 25)</p> <p>A1 for 5 (\times 35) and 7 (\times 25)</p> <p>M1 for 5 \times £1.10 + 7 \times 78p</p> <p>A1 cao</p>

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0

Question		Working	Answer	Mark	Notes
3.	(a)		$\frac{5}{14}$	1	B1 for $\frac{5}{14}$ oe fraction
	(b)		54	3	M1 for $84 \div (5 + 9) (= 6)$ or $1 - \text{“(a)”} (=)$ M1 for $84 \div (5 + 9) \times 9$ oe or A1 cao
	(c)		e.g. 6 green	3	M1 for correct method to find twice as many green beads as red beads, e.g. $2 \times 30 (= 60)$ or $2 \times (84 - \text{“54”})$ or $\text{“54”} + \text{“6”} (= 60)$ A1 for 6 (green) OR if n reds are added then $2n + 6$ (greens), where n and $2n$ could be numbers OR 30 (red) and 60 (green) C1 (dep on M1) for showing correct relevant working and clear conclusion stating number of green beads or stating total numbers of red beads and green beads
4.		$\frac{48.45}{425} \times 100$ OR $\frac{11}{100} \times 425 = 46.75$	Katie spends more	3	M1 for $\frac{48.45}{425} \times 100$ A1 for 11.4 C1 (dep on M1) for conclusion ft from comparison of two percentages OR M1 for $\frac{11}{100} \times 425$ or for $10\% = 42.5(0)$, $1\% = 4.25$, $42.5(0) + 4.25$ A1 for 46.75 C1 (dep on M1) for correct ft from comparison of “46.75” and 48.45

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0				
Question	Working	Answer	Mark	Notes
5.	Jan x Feb $2x$ Mar $2x + 10$ Apr $\frac{1}{2}(2x + 10)$ $x + 2x + 2x + 10 + \frac{1}{2}(2x + 10) > 12$ $6x + 15 \geq 123$	18	5	M1 for a method to express all 4 months' amounts algebraically (at least 3 correct, ft) M1 for an expression for total with at least 3 correct terms added M1 for a correct inequality stated algebraically M1 for an inequality reduced to $ax > b - c$ A1 cao NB: accept inequalities written as equations SC T&I is 5 marks for 18, otherwise 0 marks

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
6.	$\frac{\frac{1}{2} \times \pi \times 10^2 - \pi \times 5^2}{2} =$ 12.5π	39.3	5	<p>M1 for $\pi \times 5^2$ (= 78.5(39...)) or $\pi \times 10^2$ (= 314(.159...)) or 100π or 25π</p> <p>M1 for $\frac{1}{2} \times \pi \times 10^2$ (= 157(.07...)) or 50π</p> <p>M1 (dep on at least one of the previous Ms) for</p> $\frac{1}{2} \times \pi \times 10^2 - \pi \times 5^2$ <p>M1 (dep on previous M) for $(\frac{1}{2} \times \pi \times 10^2 - \pi \times 5^2) \div 2$ or</p> $\frac{'157.07...'-'78.53...'}{2}$ or $25\pi/2$ <p>A1 for answer in range 39.2 – 39.3</p> <p>OR</p> <p>M1 for $\pi \times 5^2$ (= 78.5(39...)) or $\pi \times 10^2$ (= 314(.159...)) or 100π or 25π</p> <p>M1 for $\frac{1}{4} \times \pi \times 10^2$ (= 78.5(398...)) or 25π</p> <p>M1 for $\frac{1}{2} \times \pi \times 5^2$ (= 39.2(69...)) or 12.5π</p> <p>M1(dep on 2 previous Ms) for '78.5' – '39.2'</p> <p>A1 for answer in range 39.2 – 39.3</p>

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0				
Question	Working	Answer	Mark	Notes
7.		explanation	1	C1 for “he has not expanded the brackets correctly” oe

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0

Question		Working	Answer	Mark	Notes
8.	(a)	5000×1.028^4	5583.96	3	M1 $1 + 0.028$ oe or 5000×0.028 M1 5000×1.028^4 oe or a complete method for compound interest year on year A1 cao
	(b)	$12000 \times 1.02 \times 1.035 \times 1.05$	£13301.82	5	M1 $12000 \times 1.02 \times 1.035 \times 1.05$ oe or a complete method not using a multiplier A1 cao
	(i) (ii)	3.492753115	3.49		M1 $\frac{13301.82}{12000}$ or 1.108485 M1 $(\sqrt[3]{\frac{13301.82}{12000}} - 1) \times 100$ A1 cao OR M1 $1.02 \times 1.035 \times 1.05$ or 1.108485 seen M1 $(\sqrt[3]{1.02 \times 1.035 \times 1.05} - 1) \times 100$ A1 cao

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes	
9.	(a)	$(3x + 2)(2x + 1) = 100$ $6x^2 + 4x + 3x + 2 = 100$	$6x^2 + 7x - 98 = 0$	2	M1 $(3x + 2)(2x + 1) = 100$ or $(2x \times 3x) + 2(2x + 1) + 3x = 100$ or $(2x \times 3x) + (2 \times 2x (\times 1)) + 1) + 3x + 1 + 1 = 100$ (oe) Other partitions are acceptable but partitioning must go on to form a correct equation. A1 Accept $6x^2 + 7x + 2 = 100$ if M1 awarded
	(b)	$(3x + 14)(2x - 7) (= 0)$ $x = 3.5$ (Area =) $6 \times "3.5"^2$ or $(3 \times "3.5") \times (2 \times "3.5")$	73.5	5	M2 for $(3x + 14)(2x - 7) (= 0)$ or $(x =) \frac{-7 \pm \sqrt{49} + 2352}{12}$ or $(x =) \frac{-7 \pm \sqrt{2401}}{12}$ If not M2 then M1 for $(3x \pm 14)(2x \pm 7)$ or $(x =) \frac{-7 \pm \sqrt{7^2 - 4 \times 6 \times -98}}{2 \times 6}$ condone + in place of \pm and 1 sign error. A1 Dependent on at least M1 Ignore negative root. M1ft Dependent on at least M1 and $x > 0$ A1 cao Dependent on first M1

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0					
Question	Working	Answer	Mark	Notes	
10.	(a)	3, -6, -5	2	B2 cao for all 3 (B1 for any 1 or 2 correct)	
	(b)	Quadratic graph	2	B2 for a fully correct graph OR B1 for all 7 points ft on (a) plotted correctly ± 1 sq B1 for a smooth curve through all 7 of their plotted points depending on at least B1 in (a)	
	(c)	Draw $y = -3$	2	B1 for 0.2 – 0.4 or ft from graph ± 1 square B1 for 3.6 – 3.8 or ft from graph ± 1 square (SC: If no marks earned then B1 for line $y = -3$ drawn)	
11.		$132.88 \div 88100$	151	3	M1 for recognising that 88% is equivalent to 132.88 M1 for $132.88 \div 88 \times 100$ oe A1 cao

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
12.	$DC^2 = 5^2 + 8^2;$ $DC = \sqrt{89}$ $DB^2 = 5^2 + 10^2;$ $DB = \sqrt{125}$ $BC^2 = 8^2 + 10^2;$ $BC = \sqrt{164}$ $\cos CDB = \frac{89+125-164}{2 \times \sqrt{89} \times \sqrt{125}}$ $= 0.23702$	76.3	6	<p>M1 ($DC^2 = 5^2 + 8^2$) or $DC = \sqrt{89} = 9.4(3)$</p> <p>M1 ($DB^2 = 5^2 + 10^2$) or $DB = \sqrt{125} = 11.1(8)$</p> <p>M1 ($BC^2 = 8^2 + 10^2$) or $BC = \sqrt{164} = 12.8(1)$</p> <p>M2 $\cos CDB = \frac{'89'+'125'-'164'}{2 \times \sqrt{89}' \times \sqrt{125}'}$</p> <p>A1 76.2–76.3</p> <p>OR</p> <p>M1 correct sub into cosine rule on formula sheet</p> $\sqrt{164}^2 = \sqrt{89}^2 + \sqrt{125}^2 - 2 \times \sqrt{89} \times \sqrt{125} \times \cos x$ <p>M1 correct rearrangement to $\cos CDB = \frac{'89'+'125'-'164'}{2 \times \sqrt{89}' \times \sqrt{125}'}$</p> <p>A1 76.2–76.3</p>

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
13.	$4(x + 4) = 4x + 16$ $4(3x + 4) = 12x + 16$ $4x + 16 = \frac{4}{3}(12x + 16)$ $12x + 48 = 24x + 32$ $12x = 16$	$5\frac{1}{3}$	5	M1 for a correct expression for at least one perimeter. M1 for " $4x + 16$ " = $\frac{2}{3}$ " $(12x + 16)$ " oe M1 for $12x + 48 = 24x + 32$ or $4x + 16 = 8x + \frac{32}{3}$ oe A1 for $\frac{4}{3}$ B1 ft for " $\frac{4}{3}$ " + 4 OR M2 for $x + 4 = \frac{2}{3}(3x + 4)$ M1 for $3x + 12 = 6x + 8$ or $x + 4 = x + \frac{8}{3}$ oe A1 for $\frac{4}{3}$ B1 ft for " $\frac{4}{3}$ " + 4

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
14.	$\frac{12}{20} \times \frac{11}{19} + \frac{5}{20} \times \frac{4}{19} + \frac{3}{20} \times \frac{2}{19}$ $1 - \left(\frac{12}{20} \times \frac{11}{19} + \frac{5}{20} \times \frac{4}{19} + \frac{3}{20} \times \frac{2}{19} \right)$	$\frac{222}{380}$	4	<p>B1 for $\frac{12}{19}$ or $\frac{5}{19}$ or $\frac{3}{19}$ (could be seen in working or on a tree diagram)</p> <p>M1 for $\frac{12}{20} \times \frac{5}{19}$ or $\frac{12}{20} \times \frac{3}{19}$ or $\frac{5}{20} \times \frac{3}{19}$ or $\frac{3}{20} \times \frac{5}{19}$ or $\frac{3}{20} \times \frac{3}{19}$ or $\frac{12}{20} \times \frac{3}{19}$ or $\frac{5}{20} \times \frac{3}{19}$ or $\frac{3}{20} \times \frac{5}{19}$</p> <p>M1 for $\frac{12}{20} \times \frac{5}{19} + \frac{12}{20} \times \frac{3}{19} + \frac{5}{20} \times \frac{3}{19} + \frac{3}{20} \times \frac{5}{19} + \frac{3}{20} \times \frac{3}{19} + \frac{12}{20} \times \frac{3}{19}$</p> <p>A1 for $\frac{222}{380}$ oe or 0.58(421...)</p> <p>OR</p> <p>B1 for $\frac{8}{19}$ or $\frac{15}{19}$ or $\frac{17}{19}$</p> <p>M1 for $\frac{12}{20} \times \frac{8}{19}$ or $\frac{5}{20} \times \frac{15}{19}$ or $\frac{3}{20} \times \frac{17}{19}$</p> <p>M1 for $\frac{12}{20} \times \frac{8}{19} + \frac{5}{20} \times \frac{15}{19} + \frac{3}{20} \times \frac{17}{19}$</p> <p>A1 for $\frac{222}{380}$ (oe) or 0.58(421...)</p> <p>OR (continued over...)</p>

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
14.				<p>B1 for $\frac{11}{19}$ or $\frac{4}{19}$ or $\frac{2}{19}$</p> <p>M1 for $\frac{12}{20} \times \frac{11}{19}$ or $\frac{5}{20} \times \frac{4}{19}$ or $\frac{3}{20} \times \frac{2}{19}$</p> <p>M1 for $1 - \left(\frac{12}{20} \times \frac{11}{19} + \frac{5}{20} \times \frac{4}{19} + \frac{3}{20} \times \frac{2}{19} \right)$</p> <p>A1 for $\frac{222}{380}$ oe or 0.58(421...)</p> <p>NB if decimals used they must be correct to at least 2 decimal places</p> <p>SC : with replacement</p> <p>B2 for $\frac{111}{200}$ oe</p> <p>OR</p> <p>e.g.</p> <p>B0</p> <p>M1 for $\frac{12}{20} \times \frac{8}{20}$ or $\frac{5}{20} \times \frac{15}{20}$ or $\frac{3}{20} \times \frac{17}{20}$</p> <p>M1 for $\frac{12}{20} \times \frac{8}{20} + \frac{5}{20} \times \frac{15}{20} + \frac{3}{20} \times \frac{17}{20}$</p> <p>A0</p>

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
15.	$\frac{1}{2} \times x^2 \times \sin 60 = 36$ $x^2 = \frac{72}{\sin 60} = 83.13..$	9.12	3	M1 $\frac{1}{2} \times x^2 \times \sin 60 (= 36)$ or $\frac{1}{2} \times ab \times \sin 60 (= 36)$ Or $\frac{1}{2} \times x \times \sqrt{x^2 - \left(\frac{x}{2}\right)^2} (= 36)$ M1 $x^2 = \frac{72}{\sin 60}$ or $ab = \frac{72}{\sin 60}$ or $x^2 = \frac{36 \times 2}{\sqrt{0.75}}$ A1 9.11 – 9.12
16.	$(2n + 1)(2m + 1)$ $= 4nm + 2n + 2m + 1$ $= 2(2nm + n + m) + 1$	Proof	3	M1 for $2n + 1$ oe used to describe an odd number A1 for product = $4nm + 2n + 2m + 1$ where n is not the same as m C1 (dep on M1) for stating that $2 \times '(2nm + n + m)'$ is even since it is a multiple of 2 so adding 1 gives an odd number
17.	$20 + 15 + 7.5 + 3.5 + 1$	46 - 48	3	M1 for splitting curve appropriately to find area M1 for complete area calculation e.g. $1 \times 20 + \frac{1}{2}(20 + 10) + \frac{1}{2}(10 + 5) + \frac{1}{2}(5 + 2) + \frac{1}{2} \times 2$ A1 for answer in range 46 – 48
(b)		overestimate with reason	1	C1 for overestimate and appropriate reason linked to method, e.g. area between trapeziums and curve is also included

1MA1 Practice Tests Set 1: Paper 3H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
18.	$15 \div 70 = 120 \div n$ $120 \times 4.66(\dots)$ OR $\frac{120 \times 70}{15}$ OR 8×70 OR $\frac{15}{70} \times \frac{8}{8} = \frac{120}{n}$ OR $120 \div 21.4 \times 100$	560	4	M2 $\frac{120 \times 70}{15}$ or $120 \times 4.66\dots$ or 8×70 or $\frac{15}{70} \times \frac{8}{8} = \frac{120}{n}$ (oe) or $120 \div 21.4 \times 100$ (M1 for $\frac{15}{70}$ (oe) or 21.4% seen or $120 \div 15 (= 8)$ Or $\frac{15}{120}$ ($= \frac{1}{8}$) or 4.66(...) seen) A1 560 cao C1 for a correct mathematical assumption, e.g. population hasn't changed overnight or sample is random, etc.

Source of questions						Mean score of students achieving grade:								
Qu	Spec	Paper	Session	Qu	Topic	Max score	Mean % all	ALL	A*	A	B	C	D	E
1	5MM2	2F	1306	Q23	Angles	4	15	0.60				1.87	0.65	0.23
2	5AM1	1H	1111	Q16	Money calculations	5	76	3.80	5.00	4.43	4.23	3.18	2.57	1.00
3	5MM2	2H	1311	Q12	Probability	7	74	5.21	6.57	6.35	5.85	4.96	2.53	0.95
4	5AM1	1H	1111	Q07	Percentages	3	67	2.02	3.00	3.00	2.20	1.27	0.43	0.00
5	5AM2	2H	1411	Q12	Solve inequalities	5	66	3.30	5.00	4.50	4.25	2.71	1.79	0.00
6	5MM2	2H	1111	Q12	Area of a circle	5	61	3.06	4.88	4.64	3.96	2.07	0.60	0.33
7				NEW	Solving linear equations	1					No data available			
8a	5AM1	1H	1206	Q16a	Compound interest	3	71	2.13	2.96	2.82	2.35	1.36	0.59	0.00
8b	5AM1	1H	1206	Q16bi	Compound interest	2					No data available			
9	4MA0	2H	1401	Q18	Solve quadratic equations	7	49	3.46	6.31	4.20	2.00	0.45	0.14	0.00
10	2540	2F	811	Q28	Graphs of quadratic equations	6	20	1.18				2.47	1.16	0.41
11	1380	2H	911	Q21	Reverse percentages	3	29	0.88	2.79	1.99	1.00	0.29	0.07	0.02
12	1387	6H	711	Q25	Pythagoras in 3D	6	28	1.65	4.35	2.12	0.79	0.16		
13	5AM1	1H	1111	Q14	Solve linear equations	5	25	1.25	4.83	1.43	0.70	0.36	0.57	1.00
14	1MA0	2H	1206	Q25	Ratio	4	24	0.96	3.52	2.34	0.86	0.16	0.02	0.00
15	1387	6H	711	Q21	Trigonometry	3	22	0.65	2.15	0.75	0.16	0.03		
16	5MM2	2H	1306	Q23	Algebraic proof	3	15	0.44	1.67	0.64	0.23	0.04	0.01	0.00
17	5AM2	2H	1506	Q20	Area under a graph	4	41	1.23	2.60	1.97	1.03	0.34	0.11	0.00
18	2MB01	1H	1111	Q14	Estimating populations	4	15	0.58			No other data available			
						80								